## What's Hot and What's Not™ (THE Northern California Flyfishing Report) from Fish First ! – updated 12 June 2014

WH&WN™ is provided courtesy of Fish First! Visit our retail stores at 1404 Solano Ave, Albany (Bay Area) 510-526-1937 and 766 Mangrove Ave, Chico (Central Valley) 530-343-8300. Access to our Albany store is easy from Interstate 80; access to our Chico store is easy from Hwy 32 off Interstate 5. Albany store hours 10am-6:30pm M-F, 10am-5pm Sat-Sun. Chico store hours: 9:30am-6pm M-Sat, 11am-4pm Sun.

Facebook Check out current updates on our Fish First page on Facebook. https://www.facebook.com/pages/Fish-First-Fly-Shop/179070695489335 To receive this report via email, visit our website <u>http://www.fishfirst.com</u> and follow the link to "Subscribe WH&WN™" under "Fishing Report". Email any questions or comments to info@fishfirst.com.

NCDGA page numbers: NCDAG page numbers in the comments section refer to page numbers in the Northern California DeLorme Atlas and Gazetteer.

Fishery	Water Conditions	Fishing Conditions, Techniques, and Hatches	Flies	Comments
Battle Creek	Slight tint, mid 50's, normal flow.	<b>Fishing is good.</b> Warm weather is bringing out caddis, yellow sallies and PMD's. Best dry fly fishing is around 10am and again after 6pm. Focus on riffles and pocket water where water is coolest. Nymphing during the day with stoneflies and attractor beadhead nymphs is productive in fast runs and pocket water.	Attractor beadhead nymphs Hogan's Steelie Caddis, hare's ear, twenty incher, Hart's dark lord, copper john (red, copper) bird's nest, black AP, prince of darkness, king prince, dirty bird (tan, olive), Hogan's drifter, biotic nymph, Hogan's Red Headed Step Child (#10-18). Golden stonefly dries and Golden stonefly nymphs and PMD emergers/cripples/dries and Caddis cripples/dries (listed elsewhere).	Moderate fishing pressure above Coleman Hatchery.
Baum Lake	Clear, low 50s, lake level is normal.	<b>Fishing is fair.</b> Fishing is best early morning and late afternoon. Early morning trout are rising to mayflies and midges. Fish a dry with a small BWO dropper. In the afternoon, switch to callibaetis. Streamers have also been productive using a type 2 sinking line, strip crystal buggers and damsel patterns along weeds. Best fishing access is from a drift or pontoon boat or a float tube to get to the main current and fish outside edges of the weeds.	Attractor dries irresistible adams, parachute light cahill, Rio Grande trude, parachute adams, paralyzer, royal coachman, crystal stimulator, renegade, royal wulff, para wulff, (#10-18). Lake woolly buggers/streamers J Fair wiggle tail (olive, brown, burnt orange) BH woolly bugger (black, olive, brown), crystal bugger, mini bugger black/olive, seal bugger (rust, olive, black). BWO/Baetis nymphs and BWO/Baetis emerger/dries, Attractor beadhead nymphs, and Midge pupa (Listed elsewhere in report).	Light fishing pressure. A float tube or pram is best. NCDAG pg 48
<b>Davis Lake</b> (near Portola off hwy 70)	Clear, low to mid 50s F.	<b>Fishing is good.</b> The damsel hatch is on. Best fishing is from 10am-2pm when trout are keying on damsel nymphs. Use a floating line with a 12ft long leader or an intermediate line with a shorter 9ft 5x leader to present damsel nymphs just below the surface. Early morning, midges under an indicator is productive. Best reports from Cow Creek and Jenkins Cove. During the afternoon if winds pick up strip buggers with a type 2 full sinking line.	Damsel fly nymphs/dries Burk's sierra damsel (tan, olive), mono eye damsel, no name damsel, foam swimming damsel, Stalcup's ultra damsel, J Fair wiggle tail nymph (olive, fiery brown), adult blue damsel, Burk's adult damsel, horny damsel, damsel dragon (#12-16). Blood midge pupa red brassie, disco midge red, red and copper zebra midge, red copper john, red headed step child, chirono cones (#12-14). Attractor beadhead nymphs and Lake woolly buggers/streamers and Caddis cripples/dries (listed elsewhere).	Moderate to high fishing pressure. Coves may be busy during the weekends NCDAG pg 70. Tributaries around Davis lake open Saturday preceding Memorial Day to Nov. 15 <sup>th</sup> .
Deer Creek (Along Highway 32)	Slight tint, high 40's F, high flow.	<b>Fishing is good.</b> In the morning look for PMD's, and in the evening it is all about caddis. Trout are in the pocket water and plunge pools. Best fishing for kids is around Elam campground where stocked trout are eager to eat an ant pattern or parachute adams in a #14-18. Wild trout are located below Deer Creek Falls where catch and release and barbless hooks are required. The further you get away from the highway the better. Trout average 6-12 inches.	Ant patterns Deer hair ant, 2 tone Para ant, Cutter's perfect ant, Schroeder's parachute ant, hi-vis foam ant, flying ant, fur ant, flying ant (#12-18). PMD emergers/cripples/dries and BWO/Baetis nymphs and Caddis pupa/emergers and Golden stonefly dries and Attractor beadhead nymphs (listed elsewhere in report).	Expect moderate fishing pressure. Access off Hwy 32 from Deer Creek bridge upstream to Hwy 36. Catch & Release from Deer Creek Falls down stream to Ishi Wilderness. NCDAG pg. 58.
Fall River (Cal Trout access to Spring Creek Rd)	Slight tint, normal spring flow.	<b>Fishing is good.</b> Midmorning to early afternoon is the best action. Before PMD hatches get going, fish midges and PMD nymphs under an indicator on 6x tippet. When trout start rising switch to a sparkle dun with a cripple or emerger dropper. Use the fall river "twitch" method of anchoring above rising trout and casting down stream so the fly is the first thing the fish sees. When stripping streamers use a full sink line fishing the slow inside bends of the river with a light mohair leech in black, olive, or brown. A few hex's are starting low on the river, expect the hatch in full swing very soon. Be sure to stay out until dark.	<b>Hex nymphs</b> Quigley's emerging hex nymph, Burk's hex nymph, Bear's headbanger hex (#6-8). <b>Hexagenia cripples/dries</b> Quigley's Hex cripple, Mercer's poxyback hex cripple, Water's foam hex, Bear's foam hex, (#6-8). <b>Midge pupa</b> glass bead midge (red, black), crystal dip, disco midge, brassie, desert storm, zebra midge (rust, black), WD40 (olive, chocolate), skinny nelson, crystal HBI (#18-22). <b>PMD emergers/cripples/dries</b> and <b>Lake</b> <b>woolly buggers/streamers</b> (listed elsewhere).	Expect moderate fishing pressure. Pram with electric motor needed. Public access is at Cal Trout. NCDAG pg 38. CDAG pg 35.

## What's Hot and What's Not<sup>™</sup> (THE Northern California Flyfishing Report) from Fish First ! – updated 12 June 2014

Fishery	Water Conditions	Fishing Conditions, Techniques, and Hatches	Flies	Comments
Feather River,	Clear, mid 50s F,	Fishing is good. Best fishing is early morning and	Caddis cripples/dries Hogan's last call caddis, Henryville,	Best fishing is from Two
Middle Fork	good wadeable	late evening when the sun is off the water. Fishing	Brook's headlight, elk hair caddis (brown, tan, olive), Cutter's E/C,	Rivers upstream and
(Graeagle	flow.	from Two Rivers to Nelson Point provides the best	Overly's spotlight (tan, olive), Hemingway, Goddard caddis, hot	Layman's Camp. (Open
downstream)		access. Hatches are coming off in full force. Caddis, golden stones, yellow sallies, and creamy	butt peacock caddis, peacock caddis, Lawson's E-Z caddis, Fox's crowning poopah olv/cinn, Kyle's better foam caddis (#12-20),	First Saturday in April through Nov 15 from Union
		crane flies have been abundant. Fishing caddis and	Hopper Stone Tan (#6,8). <b>Caddis pupa/emergers</b> Fox's poopah	Pacific Railroad Bridge to
		sally patterns with a prince nymph, copper john,	(olive, tan), hot wire caddis, Anderson's peeking green, Fox's	Mohawk Bridge)
		and pheasant tail in size #16-18 has been hooking	springtime poopah, Amber wing prince, M's Dirty Bird, Hogan's	
		fish. Focus on tailouts and slow moving pocket	steelie caddis, Silvey's submerger caddis (olive, tan). Little	
		water in search of big trout. Largest fish reports	yellow stone dries Hogan's yellow hanging stimulator, Brooks	
		have been up to 20". Water in the sections above	headlight little yellow sally, Cutter's little yellow sally, Quigley's	
		Portola to Graeagle have become warmer driving	little yellow sally, yellow stimulator, yellow crystal stimulator	
		the trout to lower sections in search of colder water from the tributaries.	(#14-16). Attractor dries (listed elsewhere). Attractor beadhead nymphs (listed elsewhere).	
Feather River,	Slight tint, low 50s	<b>Fishing is good.</b> Best time to be on the water	Golden stonefly dries Hogan's split-wing stone, hedgehog,	Expect light fishing
<b>N.F.</b> (Cresta	F, 209 cfs below	early and late. Nymph the fast water with split shot	Hogan's hangin stimi, crystal stimulator, yellow humpy, rubber-	pressure. Access along Hwy
powerhouse to Lake	Rock Creek 214	and tandem flies to get around boulders. These	legged stimulator, Rogue foam golden stone, Gould's half down	70. Open to fishing from
Oroville)	below Grizzly Creek	trout love fast moving water. Caddis, yellow sallies,	golden, Sloan's paralyzer, Carlson's egg sack stone (#8-12). BWO	Cresta powerhouse to lake
	and 116 below Poe.	golden stones and PMDs have been hatching in	nymphs Hogan's S&M nymph, Hogan's better baetis, berry	Oroville. NCDAG pg 59.
	Check flows at	good numbers the past few weeks. Fishing has	nymph in gooseberry, Burk's crystal hunchback, Hogan's olive	CDAG pg 51.
	WWW.Dreamflows.	slowed down near Pulga due to an increase in	military may, Mercer's BWO trigger nymph, Kyle's beerhead	
	com.	water temps. Fishing tributaries, Chips or Grizzly	baetis, tailwater tiny, flashy pheasant tail, Sloan's mighty may.	
		Creek with E/C caddis, yellow sally patterns and stimulators has yielded good numbers. The Caribou	PMD emergers/cripples/dries and Attractor beadhead nymphs and Midge pupa and Golden stonefly nymphs,	
		Road section provide good numbers of stocked	Caddis cripples/dries (listed elsewhere).	
		trout for kids perfecting their dead-drift.	cuulis emplies, unes (listed elsewhere).	
Hat Creek (PH#2	Clear, low 50s F,	<b>Fishing is good.</b> Best fishing is in the morning and	Attractor beadhead nymphs royal flush, Hogan's Steelie	Expect crowds at the PH#2
to fish barrier)	good flow.	again in the evening when trout are keying on	Caddis, hare's ear, twenty incher, Hart's dark lord, copper john	riffle on weekends. To
		midges, PMD's, caddis, yellow stones and the	(red, black, lime, copper) bird's nest, black AP, prince of darkness,	escape the crowds, try
		remaining salmonflies. A dry/dropper has been	king prince, dirty bird (tan, olive), Hogan's drifter, biotic nymph,	fishing below Carbon Flat
		good on PH#2 through the riffles. Target rising	Hogan's Red Headed Step Child (#10-18). <b>Golden stonefly</b>	or the Hwy 299 bridge.
		trout on the flats with a long leader down to 6X with a PMD comparadun or E/C caddis. Good	<b>nymphs</b> jumbo john, Morrish cone stone, Morrish WMD, Mercer's raghead, Poxyback golden stone nymph, Mercer's poxyquill golden	NCDAG pg 48.
		evening rise, so if trout are not rising near you	stone, copper back, Pat's Rubberleg. <b>PMD</b>	
		move to look for eaters.	emergers/cripples/dries and Midge pupa (listed elsewhere).	
Hot Creek	Slight tint to off	Fishing is good. Best fishing is in the morning and	BWO/Baetis emerger/dries Brook's KD dun, Mercers emerging	Expect moderate fishing
	color, mid 50s F,	late afternoon. In the morning, a dry with a midge	poxyback bwo, fluttering mayfly cripple BWO, Harrop captive dun,	pressure on weekends.
	low flow (18 cfs).	dropper in slots between the weeds will bring fish	BWO extended body, Brooks CDC dun baetis, hackle stacker BWO,	Access at upper parking lot
		out of their hiding places. Trout are keying on	loopwing paradun, olive hatch master, parachute BWO, twilight	and fish downstream to the
		some BWO's mid morning and caddis in the afternoon. Good reports from the interpretive	baetis dun day-glo, BWO CDC transitional dun, Brook's sprout baetis, quill body baetis cripple, Harrop's CDC BWO emerger,	hot springs. NCDAG pg 112.
		center. Wind can be a problem in the afternoon.	Quigley's loopy cripple stacker, Burk's silhouette (#16-20). Midge	112.
		When hatches are not coming off, ant, scud and	pupa (listed elsewhere). Caddis cripples/dries and	
		beetle patterns are good alternatives. Be sure to	BWO/Baetis nymphs (listed elsewhere).	
		fish them tight to the banks.		
McCloud River	Good clarity, mid	Fishing is good to very good. Indicator	Golden stonefly dries Hogan's split-wing stone, hedgehog,	Heavy fishing pressure on
(below McCloud	50's, normal flow	nymphing with two small dark nymphs is consistent	Hogan's hangin stimi, crystal stimulator, yellow humpy, rubber-	weekends. Access below
Reservoir)	(166 cfs at Ash	all day. The big bug nymphs are not producing as	legged stimulator, Rogue foam golden stone, Gould's half down	McCloud Reservoir. NCDAG 36.
	Camp, 184 cfs at Ah-Di-Na)	consistently, but give them a try when action is slow. Be sure to get a dead drift and be stealthy as	golden, Sloan's paralyzer, Carlson's egg sack stone (#8-12). River woolly buggers/streamers and Midge pupa (listed	56.
		the water is clear and the trout are vary wary.	elsewhere). Attractor beadhead nymphs (listed elsewhere).	
		Afternoon fishing can slow down, so take a break	PMD emergers/cripples/dries (listed elsewhere).	
		or try ant patterns along the banks. Good hatches		
		of PMD's, caddis, golden stones and yellow sallies		
		are showing, with the best of the dry action from		
		6pm to dark. Stripping streamers in pocket water		
		early and late may produce a big brown.		

## What's Hot and What's Not<sup>™</sup> (THE Northern California Flyfishing Report) from Fish First ! – updated 12 June 2014

Fishery	Water Conditions	Fishing Conditions, Techniques, and Hatches	Flies	Comments
Little Truckee	Slight tint. Low to mid 50's. Moderate flow (180 cfs)	<b>Fishing is fair to good.</b> Hatches include midges in the morning followed by PMD's midday and smaller caddis and PED's in the evening. Fish are most active during the PMD and caddis hatch. You need a drag free drift to fool these educated trout. Present flies with a downstream reach mend With the higher flow, crowds have not been a problem.	<b>BWO/Baetis emerger/dries</b> (listed elsewhere) <b>Midge pupa</b> (listed elsewhere), <b>PMD emergers /cripples/ dries</b> (listed elsewhere). <b>Caddis pupa/ emergers</b> (listed elsewhere).	Expect heavy fishing pressure, especially on weekends. Fish between Boca and Stampede Reservoirs. NCDAG 81.
Pit River #3,#4, #5 (below Lake Britton to Big Bend)	Green to brown tint, low 50s F, no flow level on Pit #3 but somewhat high, 416 cfs on Pit #4 and 470 cfs on Pit #5.	<b>Fishing is very good.</b> Best fishing is from morning to early afternoon. High stick nymphing with copper johns, caddis pupas, and amber wing prince nymphs is producing good numbers. These trout love fast water so the key is to target sections where boulders provide cover and they love to hide. The bite slow down in the afternoon heat. In the evening nymphing improves again. The dry fly fishing is sporadic. Find 2-3 foot deep moving water and the trout will probably rise to your e/c caddis or yellow humpy. Stripping streamers with a sink tip in tailouts and pocket water can also produce large rainbows.	River woolly buggers/streamers J Fair wiggle tail (olive, brown, burnt orange) BH woolly bugger (black, olive, brown), crystal bugger, mini bugger black/olive, seal bugger (rust, olive, black), hale bopp leach (brown, olive), Mack's bugger, bunny leach (white), chub minnow (#6-12). Salmon fly dries Rogue foam stone giant, hedgehog, stimulator (orange), B1 bomber, Hogan's hangin stimi, Chernobyl ant (#4-8). Golden stonefly nymphs jumbo john, Morrish cone stone, Morrish WMD, Mercer's raghead, Poxyback golden stone nymph, Mercer's poxyquill golden stone, micro cable stone, beadhead twenty incher, copper back, Pat's Rubberleg. Caddis pupa/emergers and Attractor beadhead nymphs and BWO nymphs and Golden stonefly dries (listed elsewhere).	Low fishing pressure on 3, no pressure on 4. Access below Lake Britton or from Big Bend. Studded boots and a wading staff are a must for fishing the Pit. New flow regiment makes wading very tough. NCDAG pg 47. New CDAG pg. 34.
Sacramento River, Lower (below Keswick Reservoir)	Green tint, low to mid 50s, normal flow 9,500 cfs.	<b>Fishing is good.</b> Nymphing from a boat is good midmorning with tandem flies under an indicator in 4-6 feet of water is the most productive method at these flows. Hot flies: Birds nest, Rubber legged stones, and PMD nymphs. Best reports for big trout is from Sundial Bridge in Redding. Best numbers of trout are from Anderson down. In the evening trout are keying on caddis and PMDs from 6:30 pm to dark. Hot fly: PMD sparkle dun. Get out for some good summer afternoon fishing on the water.	Caddis pupa/emergers Fox's poopah (olive, tan), Hot wire caddis, Anderson's peeking green, green machine, Fox's springtime poopah, Amber wing prince, M's Dirty Bird, Hogan's steelie caddis, Silvey's submerger caddis (olive, tan), Silvey's edible emerger (#12-18). Little yellow stonefly nymphs poxy back micro stone tungsten hotwire prince, Morrish's iron sally (#14-16). Golden stonefly nymphs, Attractor beadhead nymphs and BWO nymphs (listed elsewhere). PMD emergers/cripples/dries (listed elsewhere), Pale morning dun nymphs (listed elsewhere).	Drift boat fishing is provides best access. Market St, Convention Center, Barge Hole and below Cypress Bridge are all good spots to wade. NCDAG pg 46, 57. New CDAG pg. 41
Sacramento River, Upper (Lake Siskiyou to Lake Shasta)	Clear, mid 50'sF. Low flow (214 at Delta).	<b>Fishing is good to excellent.</b> Start the morning fishing small mayflies in riffles and tailouts to rising trout. As the sun gets on the water, indicator nymph with a golden stone and dark lord combo in deep runs and pocket water. Afternoon fishing is slow. Get back on the water around 6pm. Good dry fly action on golden stones, salmonflies, caddis, and pink alberts from 6pm to dark. The entire river to Lake Shasta is fishing well.	Attractor beadhead nymphs and Little yellow stonefly nymphs and PMD emergers/cripples/dries Caddis pupa/ emergers and Golden stonefly nymphs (listed elsewhere).	Expect moderate fishing pressure. Be careful when wading. Access to Mossbrae falls at Scarlet Way is posted no parking. NCDAG 36, 46.
Truckee River (Trout Creek to CA Stateline)	Clear, low 50's. Low to moderate flow (135 cfs near Truckee, 405 cfs below Boca).	<b>Fishing is good.</b> Best fishing is above Boca where flows are lower and trout are feeding on green drakes, yellow and golden stoneflies, caddis and PMD's. Fishing a carpenter ant along the willows midday and the trout will rise fish to it. Nymphing during the day with a golden stone with a beadhead nymph dropper in pocket water. Good green drakes on cloudy days. The evening magic caddis hatch is just starting, and can be very good from 7pm to dark. The entire river is fishing well.	<b>PMD emergers/cripples/dries</b> Lawson's PMD emerger, fluttering mayfly cripple PMD, last chance PMD cripple, Quigley's Hat Creek PMD emerger, Brook's KD dun PMD, loopwing paradun PMD, Brook's sprout PMD, PMD biot comparadun, hackle stacker PMD, PMD hair wing dun, PMD sparkle dun, PMD parachute (#14- 18). <b>Green drake nymphs</b> tungsten hunchback green drake nymph, Poxyback green drake, Quigley's crown jewel, black AP, prince nymph (#8-10). <b>River woolly buggers/streamers</b> (listed elsewhere). <b>Attractor beadhead nymphs</b> (listed elsewhere in report). <b>Caddis pupa/emergers</b> (listed elsewhere).	Expect moderate fishing pressure. Access along Hwy 89 down through Hirshdale. NCDAG 81.
Yuba River, North Fork (between Downieville and Sierra City)	Clear, mid to high 50's, low flow (172 cfs).	<b>Fishing is good.</b> Best fishing is in the afternoon to dark from Downieville up to Sierra City. In the morning, fish will rise to an attractor dry in the riffles and pocket water. Add a beadhead nymph dropper to get more action. In the evening, fish are rising to caddis and stoneflies fished in tailouts and pools. Cover lots of water to find actively rising fish. This is great water for a 3 weight rod.	Attractor beadhead nymphs (listed elsewhere). Attractor dries (listed elsewhere in the report). Golden stonefly nymphs and Golden stonefly dries (listed elsewhere). Caddis pupa/ emergers (listed elsewhere).	Light fishing pressure. Access off of Hwy 49. NCDAG pg 70.

## What's Hot and What's Not™ (THE Northern California Flyfishing Report) from *Fish First* ! – updated 12 June 2014

Fishery	Water Conditions	Fishing Conditions, Techniques, and Hatches	Flies	Comments
Yuba River, Lower (from Englebright dam to Marysville)	Clear, low 50s F, moderate flow, 1,200 cfs below Englebright.	<b>Fishing is fair.</b> Dry fly fishing is sporadic in the evening. Best fishing is subsurface in riffles and tailouts from Hwy 20 bridge to Sycamore Ranch. Nymph rubberleg stones, caddis pupas and PMD nymphs under an indicator in riffles and tailouts where trout will hold. Best of the hatch is in the afternoon with trout keying on PMD's along the flats. Target rising trout with a delicate downstream drift to trick these educated trout. Grasshoppers will start soon with this heat.	<b>PMD emergers/cripples/dries</b> Lawson's PMD emerger, fluttering mayfly cripple PMD, last chance PMD cripple, Quigley's Hat Creek PMD emerger, Brook's KD dun PMD, loopwing paradun PMD, Brook's sprout PMD, PMD biot comparadun, hackle stacker PMD, PMD hair wing dun, PMD sparkle dun, PMD parachute (#14- 18). <b>Golden stonefly nymphs</b> (listed elsewhere). <b>Attractor</b> <b>beadhead nymphs</b> (listed elsewhere). <b>BWO/Baetis nymphs</b> and <b>Midge pupa</b> and <b>BWO/Baetis emerger/dries</b> and <b>March</b> <b>browns</b> (listed elsewhere).	Water above Hwy 20 bridge is open from December 1 <sup>st</sup> until August 31 <sup>st</sup> . Access at the Hwy 20 bridge and Sycamore Ranch campground. NCDAG pg 78,79.

**Other Reports**. **Putah Creek** (below Lake Berryessa) High summer flows making fishing tough. Fish the breaks in the current and along the edges with midges and BWO nymphs suspended under an indicator. Best fishing is in the morning when trout are feeding on midges and BWO's. Flows have increased making it difficult to land fish on 6X tippet. Concentrate on back eddies and breaks in the current.

**Shad Report** Low rainfall totals and less runoff will make wading off the bank for shad good this year. Shad are moving up the Sac, Feather, American and Yuba Rivers. Fishing a 225-300 grain fast sink shooting head with Rio's Grip Shooter running line will hook shad on the swing, stripped in, or jigged off the back of a boat in slower back eddies where shad can find relief from the current. **Sacramento River**-Shad are stretched from Butte City up to Los Molinos. Access at Woodson Bridge, Washout and along River Rd. **American River**- Reports are good from Gristmill to the mouth. Look for slower water where shad can get a break from these high flows. **Yuba River**- Reports are good below Daguerre Dam. Cold water will keep shad in the system longer than the American and Sacramento Rivers. Access off Hallwood Ave. **Feather River**- A few reports around Shanghai Bend but the best reports are from the Sacramento and Yuba.

Largemouth Bass Fishing Nothing like chugging a bass popper along the bank for a massive bass blow-up! Valley and foothill bass ponds are in prime shape with temps between 60 to 70 degrees. Thermalito Afterbay is located off highway 99 south of Chico. Thermalito is diverted water from the Feather River to warm water for rice farmers. This shallow water fishery has largemouth bass, big carp and hatchery steelhead. Cover the edges early morning with a bass popper (hot fly: Umpqua swimming frog). Best locations are around heavy cover. Best bass poppers have a weed guard to get through heavy cover without snagging. Midday, switch to a crayfish or baitfish pattern (good choice: clouser) on short sink tip with a heavy leader. Good reports from anglers fishing channels between islands and deep water (4-10') around ambush points and rock walls. Frank's Tract & San Joaquin Delta (including Mildred, San Joaquin River, and nearby sloughs) Water temps are currently high 60's to low 70's. Bass are post-spawn, spawning and a few post spawn depending where you are. Early and late are ideal times to fish topwater poppers and divers around rock walls, heavy cover and up against tullies. Midday, clousers and crayfish patterns on a sink tip will produce. 8- 9 wt rods and are ideal to turn over big flies and fight fish. WH&WN™ FREE flyfishing report would not be possible without the help of: Jon Baiocchi/Baiocchi Troutfitters, Tom/Lake Almanor Fly Fishing Co., Craig Nielsen/Shasta Trout Guide Service, Jordan Romney (Putah Fly Fishing Guide), Victor Babbit/Tahoe Fly Fishing Outfitters/Tahoe, Jerry/The Troutfitter/Mammoth Lakes, Ted Fay Flyshop/Dunsmuir, Greg/Sweeny's sport shop, Andy/Kiene's Fly Shop/Sacramento, Ken's Sporting Goods/Scott Freeman-EW report. Special thanks to all the WH&WN™ subscribers who have submitted their fishing reports for the fisheries listed in WH&WN, you help keep us honest, accurate, and up-to-date.