What's Hot and What's Not™ (THE Northern California Flyfishing Report) from Fish First ! – updated 16 December 2010

WH&WN™ is provided courtesy of Fish First! Visit our retail stores at 1404 Solano Ave, Albany (Bay Area) 510-526-1937 and 766 Mangrove Ave, Chico (Central Valley) 530-343-8300. Access to our Albany store is easy from Interstate 80; access to our Chico store is easy from Hwy 32 off Interstate 5. Albany store hours 10am-7pm M-F, 10am-5pm Sat-Sun. Chico store hours: 9am-6pm M-Sat, 11am-4pm Sun.

To receive this report via email, visit our website <u>http://www.fishfirst.com</u> and follow the link to "Subscribe WH&WN™" under "Fishing Report". Email any questions or comments to info@fishfirst.com.

NCDGA page numbers: NCDAG page numbers in the comments section refer to page numbers in the Northern California DeLorme Atlas and Gazetteer.

Fishery	Water Conditions	Fishing Conditions, Techniques, and Hatches	Flies	Comments
Baum Lake Eagle Lake (near	Water Conditions Clear, low 40's, lake level is good. Clear, low 40's F.	Fishing is good. Best fishing is on overcast and rainy days when fish are feeding on midges and BWO's from 11am on. Start nymphing at 10am when the water warms enough for insects to get active. A BWO nymph with a midge dropper is a deadly combination either under an indicator or under a dry. Cripples and emergers produce best when you see risers. Tip: change flies often. Best access is from a boat or pontoon boat. The trout are working off the main current and near weedbeds. This is a great winter fishery. Fishing is fair to good. Best fishing is at first light	 Midge pupa glass bead midge (red, black), crystal dip, disco midge, brassie, desert storm, zebra midge (rust, black), WD40 (olive, chocolate) WD50 tungsten (olive/wine) (#18-22). BWO emerger/dries Brook's KD dun, fluttering mayfly cripple BWO, Harrop captive dun, BWO extended body, Brooks CDC dun baetis, hackle stacker BWO, loopwing paradun, olive hatch master, parachute BWO. Attractor dries irresistible adams, parachute light cahill, Rio Grande trude, parachute adams, paralyzer, royal coachman, crystal stimulator, renegade, royal wulff, royal coachman, para wulff, (#10-18). Lake woolly buggers/streamers J Fair wiggle tail (olive, 	Float tube is needed for best access. Fishing pressure during the week is light with some pressure on the weekends. NCDAG pg 48.
Susanville)		when big rainbows are pushing baitfish onto the shoreline around Spalding and Wildcat. Target fish with a Tui-Chub pattern fished on a long 3X leader. Strip the fly along the shoreline or away from the shoreline if fishing from a boat. Best fishing is on overcast days but access can be difficult in snowy conditions. Be sure to change the retrieve to find what they want. Season closes December 31.	brown, burnt orange) BH woolly bugger (black, olive, brown), crystal bugger, mini bugger black/olive, seal bugger (rust, olive, black), hale bopp leach (brown, olive), Mack's bugger, bunny leach (white), chub minnow (#6-12).	pressure. CDAG pg 44.
Feather River (Hwy 70 bridge to Gridley)	Clear, low 50s F, good flow in low flow (700 cfs), high flow below the Afterbay (1,800 cfs) at Gridley.	Fishing is fair. Steelhead are scattered in the low flow and high flow sections. Best tactic is to cover water to find the remaining fish in the system. In the morning, start with an egg and a beadhead dropper. Midday, fish the riffles and tailouts with a beadhead nymph and a small BWO dropper. BWO hatch is at 1pm on cloudy days. A few salmon still spawning in the low flow section. If salmon are found, drift an egg behind the salmon to find steelies looking for an easy meal. Steelhead will start concentrating on salmon fry in January.	Egg patterns for salmon Sucker spawn oregon cheese, Fox's fertilizer (shell pink, fire orange, flo red), glow-bug (peach, pink, champagne, light yellow, cheese, chartreuse), micro egg (flo fire orange, flo orange, flo red, shell pink), Leeson's crystal egg (chartreuse, orange) Pettis' Unreal egg clusters (gold nugget, burnt orange, dark roe, light row), clown egg, Pettis' unreal single egg, unreal egg cluster (dk roe, burnt orange) (#8-16). BWO/Baetis nymphs (listed elsewhere in report). Attractor beadhead nymphs (listed elsewhere). Caddis pupa/emergers (listed elsewhere).	Moderate fishing pressure. Access from Oroville State Wildlife Area. The stretch above Hwy 70 is closed until Jan 1. Be sure to have your steelhead card signed and dated before fishing. NCDAG pg 68, 78.
Frank's Tract & San Joaquin Delta (including Mildred, San Joaquin River, and nearby sloughs)	Clear to off color (3-8 ft visibility, low 50s F.	Fishing is fair. Water temps have moved up a few degrees in the last week. Stripers are to be found in current areas as well as in dead end sloughs. Move until you find willing fish and be persistent. Neutral buoyancy flies are working as well or better than clousers. Try using a slower sinking line in addition to the T-14. Popper and shallow water fishing is still good on overcast days. There are fish in the sloughs, San Joaquin River, and Franks. 10-20 inch stripers persist, with very few over 5 lbs showing.	Striper patterns Flashtail clousers and whistlers in chartreuse/white, pink/white, all white, and black sar-mul-mac, deceiver, sea habit, pearly poppers (red/yellow, green/yellow), gurglers, crease fly, pole dancer (#1/0-3/0),.	Boat needed - rentals are available at Sugar Barge Marina on Bethel Island. Low to moderate fishing pressure. NCDAG pg 96 and 106. New CDAG pg. 72, 73.
Hot Creek	Slight tint to clear, mid 40s F, low flow (25 cfs).	Fishing is good. Best fishing is from 10am to 2pm with trout on the midge and BWO hatch. Tip: During the frenzy of the BWO hatch, fish a bigger attractor dry. Something different will make your fly stand out from all the other insects on the water. Dark streamers fished along the bank are hooking some of the big browns and rainbows. Snow below canyon section and interpretive center. 4WD is needed.	BWO/Baetis nymphs Hogan's S&M nymph, Hogan's better baetis, berry nymph in gooseberry, Burk's crystal hunchback, Hogan's olive military may, Mercer's BWO trigger nymph, Kyle's beerhead baetis, tailwater tiny, flashy pheasant tail, Sloan's mighty may, Burk's olive hunchback two-tone, Mercer's micro mayfly, tung split case BWO (#16-22). Midge pupa (listed elsewhere). BWO/Baetis emerger/dries (listed elsewhere).	Expect moderate fishing pressure on weekends. Access at upper parking lot and fish downstream to the hot springs. NCDAG pg 112.

What's Hot and What's Not™ (THE Northern California Flyfishing Report) from Fish First ! – updated 16 December 2010

Fishery	Water Conditions	Fishing Conditions, Techniques, and Hatches	Flies	Comments
Klamath River	Clear, high 40s,	Fishing is good. Steelhead are scattered	Steelhead wet flies/streamers Mossback, assassin (natural,	Expect drift boat and
(Iron Gate to Seiad	good flow (1910 cfs	throughout the top section from Iron Gate to I5	copper), Herniator (silver, copper), cone sucking bunny, egg	pontoon boat traffic on
Valley)	below Iron Gate).	bridge. Best fishing is through the runs and tailouts	sucking crystal leach, general practitioner (black, orange),	the weekends. Access
		fishing a big rubberleg stone with an egg or	comet, green butted skunk, coal car, skykomish sunrise, prism,	above and below
		beadhead dropper under an indicator. Fish will also	purple peril, silver hilton, winters hope, Gareth's fire fly, red ant	Interstate 5 and along
		eat a swung fly. Swinging a mossback, silver hilton	(#4-8). Egg patterns (listed elsewhere). Golden stonefly	hwy 96. New CDAG pg.
		or brindle bug through tailouts with a sink tip or	nymphs (listed elsewhere in report).	25.
		skagit line will get grabs from hot fish. Best access is		
		with a pontoon or drift boat. Better walk-in access		
		above the I5 bridge on the south side.		
Pit River #3,#4,	Green tint, mid 40s	Fishing is fair. Best fishing is on Pit 4 and 5 where	Attractor beadhead nymphs royal flush, Hogan's Steelie	Heavy fishing pressure
#5 (below Lake	F, New high flow on Pit #3, 250 cfs	flows are lower and fish are feeding on BWO's and midges midday. Best fishing is subsurface with a big	Caddis, hare's ear, twenty incher, Hart's dark lord, copper john (red, copper) bird's nest, black AP, prince of darkness, king	on the weekends. Access from Big Bend. Studded
Britton to Big Bend)	below Pit 4 dam.			boots and a wading staff
	Delow Fit 4 dam.	rubberleg stone and a small black beadhead nymph. There is access on Pit 3 section during the day with	prince, dirty bird (tan, olive), Hogan's drifter, biotic nymph, Hogan's Red Headed Step Child (#10-18). Golden stonefly	are a must for fishing
		road work being done at night. Great time of the	nymphs jumbo john, Morrish cone stone, Morrish WMD, Mercer's	the Pit. NCDAG pg 47.
		year to get down with big streamers on sink tips in	raghead, Poxyback golden stone nymph, Mercer's poxyquill	New CDAG pg. 34.
		the pools to hook some of the lunkers.	golden stone, micro cable stone, beadhead twenty incher, copper	nen ebre pg. s n
			back, Pat's Rubberleg. BWO nymphs (listed elsewhere).	
Putah Creek	Slightly off color,	Fishing is fair. Best fishing is midday when trout	BWO/Baetis emerger/dries Brook's KD dun, Mercers	Moderate fishing
(below Lake	low 50s F, low flow	are keying in on midge pupa and BWO nymphs.	emerging poxyback bwo, fluttering mayfly cripple BWO, Harrop	pressure. NOTE: Take
Berryessa)	(59 cfs below lake	Presenting a small BWO with an even smaller midge	captive dun, BWO extended body, Brooks CDC dun baetis, hackle	precautions not to
	Berryessa).	pupa dropper using 6 or 7X tippet for these spooky	stacker BWO, loopwing paradun, olive hatch master, parachute	transport New Zealand
		fish. If fish are rising, a parachute BWO is usually all	BWO, twilight baetis dun day-glo, BWO CDC transitional dun,	mud snail. Zero limit.
		that is needed. Best reports are coming from below	Brook's sprout baetis, quill body baetis cripple, Harrop's CDC	NCDAG pg 85, 95.
		the dam. Most trout are running 8-12", with very	BWO emerger, Quigley's loopy cripple stacker, Burk's silhouette	
		few fish pushing the 20 inch mark that Putah is	(#16-20). Midge pupa (Listed elsewhere in report).	
		known for. Do not fish over actively spawning trout		
Sacramento	Crean tint law to	and stay away from the redds.	Caddia muna (amanana Manan/a hunantan awina aaddia	Duift haat fishing is
River, Lower	Green tint, low to mid 50s, moderate	Fishing is fair. Flows have risen due to the anticipated storm. Best fishing is along the flats and	Caddis pupa/emergers Mercer's tungsten swing caddis, Lawson's caddis emerger (tan, olive), Hogan's Yuba pupa,	Drift boat fishing is provides best access. No
(below Keswick	flow (15,000 cfs).	on the inside seams off tailouts with flies under an	Hogan's swingin' caddis, green bean, translucent pupa, Amber	drifting under the
Reservoir)	110W (15,000 crs).	indicator. A rubberleg stone or a beadhead nymph	wing caddis, pulsating caddis (tan, olive), Fox's poopah (olive,	Cypress St Bridge above
Kesel Voli)		with a small BWO nymph fished under an indicator is	tan), Hot wire caddis, Anderson's peeking green, green machine,	7000 cfs. NCDAG pg 46,
		productive from a pontoon or drift boat. Best fishing	Fox's springtime poopah, Amber wing prince, M's Dirty Bird,	57. New CDAG pg. 41
		is in the afternoon when trout are feeding on BWO's.	Hogan's steelie caddis, Hogan's good & plenty nymph (tan,	
		Incoming weather will muddy the lower sections.	olive). Attractor beadhead nymphs and BWO/Baetis	
		Sundial and Market street could remain clear during	nymphs (listed elsewhere in report).	
		the storm but not wadeable with the high water.		
Trinity River (near	Clear, mid 40s F,	Fishing is fair. Good numbers of hatchery fish in	Steelhead wet flies/streamers Mossback, assassin (natural,	Moderate to heavy
Lewiston)	low flow (300 cfs).	the top section between Lewiston and Douglas City.	copper), Herniator (silver, copper), cone sucking bunny, egg	fishing pressure in the
		Flows are also lower in the top section. Drifting small	sucking crystal leach, general practitioner (black, orange),	Lewiston to Douglas City
		beadhead nymphs under an indicator are the most	comet, green butted skunk, coal car, skykomish sunrise, prism,	area. Fly only section
		productive when the water is clear. When the water	purple peril, silver hilton, winters hope, Gareth's fire fly, red ant	below Lewiston Lake is
		is off-color, go to big golden stones and copper	(#4-8). Golden stonefly nymphs (listed elsewhere). Attractor beadhead nymphs (listed elsewhere). Egg patterns (listed	closed. NCDAG pg 45.
		johns under an indicator. Steelhead are still taking a swung fly since the water has stayed somewhat	elsewhere).	New CDAG pg. 31, 32, 40.
		warm (44F). Swing assassins, mossbacks and silver		40.
		hiltons in runs and tailouts.		
Other Peperts Vub	a Biver Lower (from		\perp fs) and not wadeable. Fishing can be good from a drift boat. Fish wil	I hald where there is a

Other Reports Yuba River, Lower (from Englebright dam to Marysville) Flows are high (3,907 cfs) and not wadeable. Fishing can be good from a drift boat. Fish will hold where there is a break in the current. Drift a golden stone and dark beadhead nymph to portray a skwala nymph. **Feather River, N.F.** (Cresta powerhouse to Lake Oroville) Flows are currently 1,955 cfs below Poe dam. When flows come down to under 400 cfs, big fish will eat big streamers stripped perpendicular from the bank. This is a great winter fishery when flows are right. **Sacramento River, Upper** (Lake Siskiyou to Lake Shasta) Fishing can be good for one or two hours during the warmest part of the day when flows are down between storms. Best fishing is around Dunsmuir where fewer tributaries are affecting the flows. Be sure to bring a wading staff and cleats to combat the icy conditions. **Truckee River** (Trout Creek to CA Stateline) Fishing is poor. Water temperatures are down and fish are slow to move for anything. Fish the backwater where temperatures are warmer than moving water. Fish will feed on midges and BWO's during the warmest part of the day. **Walker River, East Fork** (below Bridgeport Reservoir) Fishing is poor due to low flows (22 cfs) and cold water. Fish the warmest part of the day with midges to find feeding fish. Concentrate on the backwater eddies where temperatures are higher. Access is difficult due to snow.

What's Hot and What's Not™ (THE Northern California Flyfishing Report) from Fish First ! – updated 16 December 2010

WH&WN[™] FREE flyfishing report would not be possible without the help of: Craig Nielsen/Shasta Trout Guide Service, Victor Babbit/Tahoe Fly Fishing Outfitters/Tahoe, Jerry/The Troutfitter/Mammoth Lakes, Ted Fay Flyshop/Dunsmuir, Greg/Sweeny's sport shop, Frank Rinella/Nevada City Anglers/Nevada City, Reno Fly Shop/Reno, Andy/Kiene's Fly Shop/Sacramento, Angler Edge fly shop, Janet & Steve/Vaughn's Sporting Goods/Burney, Val & Randy Aubrey (www.eaglelakefishing.info), Richard Hardy-Davis report, Ken's Sporting Goods/Scott Freeman-EW report. Special thanks to all the WH&WN[™] subscribers who have submitted their fishing reports for the fisheries listed in WH&WN, you help keep us honest, accurate, and up-to-date.